

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ab: Abscota-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
AnD: Alvin-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Ba: Bartle-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
BdB: Bedford-----	65	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39
Stoy-----	30	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
BdB2: Bedford-----	90	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39
BmC: Bloomfield-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
Bo: Bonnie-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
BrA: Bromer-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bu: Burnside-----	100	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.20	Very limited Flooding	1.00
CcC2: Caneyville-----	100	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 0.42 0.04	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 1.00 0.04	Very limited Shrink-swell Slope Depth to hard	1.00 1.00 0.42

						bedrock	
CcD2:							
Caneyville-----	100	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Depth to hard	0.42	Depth to hard	1.00	Depth to hard	0.42
		bedrock		bedrock		bedrock	
CfF:							
Caneyville-----	55	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Depth to hard	1.00	Shrink-swell	0.50
				bedrock			
		Depth to hard	0.42	Shrink-swell	0.50	Depth to hard	0.42
		bedrock				bedrock	
Gilpin-----	25	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
				Depth to soft	0.42		
				bedrock			
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
Cg:							
Chagrin-----	90	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
				Depth to	0.15		
				saturated zone			
CrB:							
Crider-----	90	Somewhat limited		Very limited		Somewhat limited	
		Shrink-swell	0.50	Shrink-swell	1.00	Shrink-swell	0.50
CrC2:							
Crider-----	100	Somewhat limited		Very limited		Very limited	
		Shrink-swell	0.50	Shrink-swell	1.00	Slope	1.00
		Slope	0.04	Slope	0.04	Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrD2:							
Crider-----	100	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	1.00	Shrink-swell	0.50
CsD2:							
Crider-----	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	1.00	Shrink-swell	0.50
Caneyville-----	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Depth to hard	1.00	Shrink-swell	0.50
				bedrock			
		Depth to hard	0.42	Shrink-swell	0.50	Depth to hard	0.42
		bedrock				bedrock	
CwD2:							
Crider-----	65	Somewhat limited		Very limited		Very limited	
		Slope	0.63	Shrink-swell	1.00	Slope	1.00
		Shrink-swell	0.50	Slope	0.63	Shrink-swell	0.50
Frederick-----	35	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	0.63	Slope	0.63	Shrink-swell	1.00
Dp:							
Dumps-----	40	Not rated		Not rated		Not rated	
Pits-----	30	Not rated		Not rated		Not rated	
Udorthents-----	30	Not rated		Not rated		Not rated	
EbC2:							
Ebal-----	100	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Slope	0.04	Depth to	1.00	Slope	1.00

					saturated zone Slope	0.04		
EdD:								
Ebal-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00	
		Shrink-swell	0.50	Shrink-swell	1.00	Shrink-swell	0.50	
				Depth to saturated zone	1.00			
Wellston-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50	
				Depth to hard bedrock	0.04			
Table ENG-3.--Building Site Development--Continued								

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EkB2: Elkinsville Variant-	100	Not limited		Not limited		Not limited	
FrC2: Frederick-----	100	Very limited Shrink-swell Slope	1.00 0.04	Very limited Shrink-swell Slope	1.00 0.04	Very limited Slope Shrink-swell	1.00 1.00
FrD: Frederick-----	100	Very limited Slope Shrink-swell	1.00 1.00	Very limited Slope Shrink-swell	1.00 1.00	Very limited Slope Shrink-swell	1.00 1.00
FtD3: Frederick-----	60	Very limited Shrink-swell Slope	1.00 0.96	Very limited Shrink-swell Slope	1.00 0.96	Very limited Slope Shrink-swell	1.00 1.00
FwC2: Frederick-----	65	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell Slope	1.00 0.88
Crider-----	30	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell Slope	1.00 0.88
GrC: Gilpin-----	65	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to soft bedrock	0.63 0.50 0.42	Very limited Slope Shrink-swell	1.00 0.50
Crider-----	15	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Slope	1.00 0.63	Very limited Slope Shrink-swell	1.00 1.00
GwF: Gilpin-----	55	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to soft bedrock	1.00 0.50 0.42	Very limited Slope Shrink-swell	1.00 0.50
Weikert-----	25	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
Wellston-----	20	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 0.50 0.04	Very limited Slope Shrink-swell	1.00 0.50
Table ENG-3.--Building Site Development--Continued							

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and	Value	Rating class and	Value	Rating class and	Value

		limiting features		limiting features		limiting features	
Ho:							
Haymond-----	100	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.15	Very limited Flooding	1.00
HrA:							
Henshaw-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
Hs:							
Hoosiersville-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
HxB2:							
Hosmer-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
MdB2:							
Markland-----	100	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.39	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.39
MhA:							
Mcgary-----	90	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 1.00
MuA:							
Muren-----	90	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50
Ne:							
Newark-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
No:							
Nolin-----	90	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.15	Very limited Flooding	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PeB:							
Pekin-----	100	Somewhat limited Depth to saturated zone	0.77	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.77
PeC2:							
Pekin-----	100	Somewhat limited Depth to saturated zone Slope	0.77 0.04	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Slope Depth to saturated zone	1.00 0.77
PgA:							
Peoga, clayey substratum-----	75	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
Ph:							
Petrolia-----	100	Very limited		Very limited		Very limited	

			Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50		Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50		Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	
PnB:											
Princeton-----	65		Not limited			Not limited			Not limited		
Alvin-----	25		Not limited			Not limited			Not limited		
St:											
Stendal-----	90		Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50		Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50		Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	
SyA:											
Stoy-----	90		Very limited Depth to saturated zone Shrink-swell	1.00 1.00 0.50		Very limited Depth to saturated zone Shrink-swell	1.00 1.00 0.50		Very limited Depth to saturated zone Shrink-swell	1.00 1.00 0.50	
TyB:											
Tyner-----	50		Not limited			Not limited			Not limited		
Alvin-----	40		Not limited			Not limited			Not limited		
Ua:											
Udorthents-----	100		Somewhat limited Shrink-swell	0.50		Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.47		Somewhat limited Slope Shrink-swell	0.50 0.50	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W:							
Water-----	100	Not rated		Not rated		Not rated	
WbF:							
Weikert-----	40	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
Berks-----	25	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.42	Very limited Slope	1.00
Gilpin-----	25	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to soft bedrock	1.00 0.50 0.42	Very limited Slope Shrink-swell	1.00 0.50
WeC2:							
Wellston-----	100	Somewhat limited Shrink-swell Slope	0.50 0.04	Very limited Depth to hard bedrock Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Shrink-swell	1.00 0.50
WeD2:							
Wellston-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
WfD3:							
Wellston-----	100	Somewhat limited Slope Shrink-swell	0.96 0.50	Very limited Depth to hard bedrock Slope Shrink-swell	1.00 0.96 0.50	Very limited Slope Shrink-swell	1.00 0.50
WgD2:							
Wellston-----	65	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50

Gilpin-----	20	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
				Depth to soft bedrock	0.42		

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wr: Wilbur-----	90	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39